



ELEGANTLY DESIGNED BATHWARES



SIFON CERAMIC
Mfg.: Exclusive Sanitaryware

Matel New Dhruva Road, Near Sandy Clay Product,
At: Lakaddhar Tal: Wankaner, Dist: Morbi. Pin: 363621 (Guj.) INDIA
Contact: +91-75675 07598, 98255 51573
Web: www.sifonceramic.com **Email:** sifonceramic@gmail.com

DESIGNED BY R GRAPHICS - +91 98250 44570



Company Profile

In the midst of the most concentrated Ceramics Developers, namely Morbi, lies a leader in the making, Sifon Ceramic, an undisputed leader in manufacture and supply of quality sanitary ware. The promoters of the company have been in the business of ceramics since years and hence can boast of a strong experience to back their vision to be the Numero Uno in the Sanitary ware market.

With a consistent and persistent improvement in designs, shapes and finish, the company has a very wide range of products to meet any ambience imagined. The design department has expert from the field of bath ware who can foresee the coming trends and hence can design products that will delight the user and make the traders profitable.

Further, with the growth of construction industry and the international influence in designs, the company can proudly say that they are your best choice for products that will last the test of times.

Quality perspective of the company has been woven into the psyche of the people, ensuring that quality exists in products, processes and actions all the three. The company promises to be the benchmark in quality and keep on improving on the same as time passes. We have a continuous training and up gradation module that monitors and enhances our ability to trap loop holes and plug them so our customers get the best products.

All in all Sifon Ceramic in time will be the most preferred sanitary ware supplier of India. You too can be a part of the huge Sifon sanitary ware customer family.



WATER SAVING

Our WCs have a special bowl structure and are specifically designed to flush with both lower and typical water volumes.

By using less water, these water saving WCs benefit you and the environment. All our standard height wall-hung frames come with dual flush function as standard in both options.



RIM-LESS TECHNOLOGY

Offering effortless cleaning and innovative, hygienic design. Our rimless WC pan eliminates the areas where germs gather and multiply, giving a superior level of hygiene.




SPACE SAVING

A wall-hung WC takes up less room than a conventional WC, and the concealed installation offers flexibility in confined spaces. The range of compact WCs have shorter projection, saving even more space.



WASHBASIN FORMS

Washbasins can be used with a pedestal as well as being wall-hung. Basins suitable for use with a counter top can be fitted in three alternative ways: Counter top, Inset & Under counter.



ANTI BACTERIAL GLAZE

Antibacterial coating prevents the growth of harmful bacteria. The special glaze gives superior surface finish and sparkling appearance.



SOFT CLOSE SEAT COVER

Soft close seat cover closes slowly and quietly, preventing loud slams. Its slim look provide astonishing elegance to your bathroom interior.



eco friendly Manufacturing

Our sensitivity to the world's ecological emergency has prompted it to place the environment at the heart of its economic, social and industrial policies.

Our company is a sustainable, with regards to its industrial role and relationship with the surrounding territory. The production facility integrates harmoniously with the place where nature is considered an asset and a heritage to be protected and valued. This desire is manifested in the continuous implementation of new technology that allows using clean energy, and also in the different design options that allow the company to have less impact on the environment.



Factory
Designing




Energy
Conservation



Water
Conservation

Our plants comply with green norms of the Indian Green Building Council.

Rimless Design



A rimless toilet made for significantly easier cleaning and a clear improvement in hygiene. There is no build-up of bacteria and no possibility for limescale to lurk. The rimless technology ensures quintessential hygiene with effective flushing that offers an efficient solution ensuring that the entire inner surface is rinsed throughout the flushing process.

Easy to Clean




100%
Bacteria
Free

The removal of the RIM (traditional toilets' edge ring where water jets come out) gives a visual continuity among the surfaces and allows an easier and deeper cleaning, significantly reducing the quantity of detergents. So, Rimless Design is also the most attentive solution to environment safeguard.

Tornado Flushing



Tornado flush system features one powerful nozzle that will create a cyclonic rinsing action. It will reduce waste buildup & keeps the bowl neat and clean. This high-efficiency mechanism is more effective in one flush that most toilets are with multiple flushes.



Thin Rim Basin



Elegant Thin Edge basin with fine edges thickness. The attractive clay art is made by the innovative material.



One Piece Toilet


How It Work ?

In toilets, the P-trap and S-trap refer to the shape and orientation of the trap that connects the toilet bowl to the waste pipe.

A P-trap toilet has a trap that is shaped like a "P". It is a curved pipe that is designed to hold water and create a barrier between the toilet bowl and the waste pipe. The water in the P-trap prevents sewer gases from entering the room, as the gases are unable to flow back up through the trap. P-trap toilets are more common in modern construction and renovations, as they are more effective in preventing odors and are easier to maintain.

An S-trap toilet has a trap that is shaped like an "S". This type of trap commonly used in plumbing systems. S-trap toilets have a straight pipe that connects the toilet bowl to the waste pipe, and the trap is formed by a bend in the pipe just below the toilet bowl. While S-trap toilets can be easier to install in certain situations where the waste pipe is located in a different position than where the toilet will be placed. The bend in the trap allows for more flexibility in positioning the toilet, which can be useful in older buildings or in situations where the plumbing system is not easily adaptable.

In general, P-trap toilets are the preferred option due to their ease of maintenance, while S-trap toilets is a design that work effectively.



Wall Mount Toilet

How It Work ?


Common in European bathrooms, wall-mounted toilets started gaining popularity in the india as well and for good reason. There are numerous advantages to using them, both in terms of used space and practicality and design overall. But first let's discuss a few general details.

So what is a wall-hung toilet and what makes it special? Their main distinctive feature which differentiates them from floor-mount toilets is the fact that the water tank is concealed behind the wall. It still remains accessible through the flush plate opening but stays out of view or you can use flush valves as well which are directly connected to the main water line to the bathroom. The bowl is mounted to the wall and the plumbing is connected to the water tank inside the wall.

Wall Hung Toilets Comes with Quiet close seat, Quick Release, Easy to Clean, High-profile, concealed design makes cleaning easier and creates a sleek and smooth look.

In addition, the concealed water tank also keeps the bathroom simple and easier to coordinate with the rest of the home, if you've chosen a minimalist, contemporary design. It's a really great way of getting rid of big eyesores in this case since you can also conceal the water outlets and other elements of the toilet.

Another advantage is that wall-mounted toilets make cleaning easier. Since they're not attached to the floor in any way, cleaning the space underneath is considerably easier.



Contents



ONE PIECE
CLOSET

pg. 12



WALL HUNG
CLOSET

pg. 18



WATER
CLOSET

pg. 27



TABLE TOP
BASIN

pg. 31



WASH BASIN
FULL PEDESTAL

pg. 47



ONE PIECE
BASIN

pg. 56



WASH BASIN
HALF PEDESTAL

pg. 60



WALL HUNG
BASIN

pg. 69



COUNTER
BASIN

pg. 83



URINAL

pg. 84



PAN

pg. 88




ACCESSORIES

pg. 90




THUNDER

L 660 W 365 H 745 mm
'S' Trap : 225, 300mm (9" & 12")




TITAN

L 645 W 355 H 740 mm
'S' Trap : 225 mm (9")



TIME


L 660 W 365 H 760 mm
'S' Trap : 225 mm (9")






THUNDER

L 660 W 365 H 745 mm
'S' Trap : 200,300mm (8" & 12") 'P' Trap




CARNIVAL

L 640 W 360 H 710 mm
'S' Trap : 220,300mm (9" & 12") 'P' Trap




CLOVER

L 690 W 355 H 730 mm
'S' Trap : 100,220,300mm (4", 9" & 12") 'P' Trap




DOMA

L 670 W 370 H 730 mm
'S' Trap : 225,300mm (9" & 12") 'P' Trap




CYBER

L 665 W 360 H 740 mm
'S' Trap : 220,300mm (9" & 12") 'P' Trap




CORNICE

L 640 W 355 H 740 mm
'S' Trap : 230 mm (9")







CANDY
L 675 W 360 H 720 mm
'S' Trap : 230 mm (9")




CHARLY
L 660 W 360 H 705 mm
'S' Trap : 230mm (9") 'P' Trap




CANTON
L 695 W 360 H 745 mm
'S' Trap : 100,220,300mm (4",9" & 12") 'P' Trap




COFI
L 645 W 345 H 735 mm
'S' Trap : 220 mm (9") 'P' Trap



CAMRY
L 700 W 380 H 670 mm
'S' Trap : 220mm (9") 'P' Trap



CRISTY
L 710 W 370 H 660 mm
'S' Trap : 220 mm (9") 'P' Trap





RIMLESS SYSTEM



SOFT CLOSE




WATER SAVING

FUSION
L 535 W 360 H 355 mm



BLIND
INSTALLATION



RIMLESS SYSTEM



SOFT CLOSE




WATER SAVING

ZODIAC
L 520 W 360 H 360 mm



BLIND
INSTALLATION



RIMLESS SYSTEM



SOFT CLOSE




WATER SAVING

CRISIL
L 540 W 365 H 360 mm



BLIND
INSTALLATION



RIMLESS SYSTEM



SOFT CLOSE




WATER SAVING

MOZART
L 525 W 340 H 375 mm



BLIND
INSTALLATION





SOFT CLOSE




WATER SAVING

VITO
L 490 W 355 H 360 mm



BLIND
INSTALLATION



RIMLESS SYSTEM



SOFT CLOSE




WATER SAVING

ARNOLD
L 450 W 340 H 355 mm



BLIND
INSTALLATION



RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

FUSION
L 535 W 360 H 355 mm



RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

ZODIAC
L 520 W 360 H 360 mm



RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

CRISIL
L 540 W 365 H 360 mm



RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

MOZART
L 525 W 340 H 375 mm




SOFT CLOSE



WATER SAVING

VITO
L 490 W 355 H 360 mm



RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

ARNOLD
L 450 W 340 H 355 mm





RIMLESS SYSTEM



SOFT CLOSE




WATER SAVING

TORNADO

L 510 W 365 H 355 mm



TORNADO FLUSH




SOFT CLOSE



WATER SAVING

TERRA

L 525 W 365 H 365 mm



SOFT CLOSE




WATER SAVING

ELEMENT

L 535 W 370 H 375 mm



ADD ON SLIM JET




SOFT CLOSE



WATER SAVING

WILLING

L 520 W 355 H 360 mm




SOFT CLOSE



WATER SAVING

SPICE

L 540 W 350 H 370 mm




SOFT CLOSE



WATER SAVING

CIVIC

L 490 W 360 H 350 mm



SOFT CLOSE




WATER SAVING

COCO

L 535 W 360 H 365 mm



ADD ON SLIM JET



RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

PARADISE

L 515 W 360 H 355 mm





RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

NEXUS

L 520 W 360 H 350 mm



RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

CROMA

L 500 W 360 H 370 mm




SOFT CLOSE



WATER SAVING

CROMA

L 500 W 360 H 365 mm



RIMLESS SYSTEM



SOFT CLOSE




WATER SAVING

CRUSE

L 550 W 360 H 380 mm



ADD ON SLIM JET



SOFT CLOSE




WATER SAVING

CRUSE

L 550 W 360 H 380 mm



ADD ON SLIM JET



RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

AUDI

L 495 W 350 H 370 mm




SOFT CLOSE



WATER SAVING

AUDI

L 495 W 350 H 370 mm



RIMLESS SYSTEM




SOFT CLOSE



WATER SAVING

CALIBER

L 490 W 360 H 335 mm






SOFT CLOSE



WATER SAVING

CALIBER
L 490 W 360 H 335 mm




SOFT CLOSE



WATER SAVING

SOGO
L 580 W 365 H 340 mm




SOFT CLOSE




WATER SAVING

SIMI
L 550 W 390 H 395 mm




ROYAL

L 490 W 360 H 400 mm
S/P




MAX

L 520 W 360 H 400 mm
S/P




RUBY

L 545 W 350 H 400 mm
S/P




E.W.C. CONCEALED

L 490 W 360 H 400 mm
'S' Trap




E.W.C.

L 480 W 370 H 400 mm
'S' Trap







E.W.C.
L 480 W 370 H 400 mm
'P' Trap



ANGLO INDIAN
L 515 W 455 H 400 mm
'S' Trap




ANGLO INDIAN
L 515 W 455 H 400 mm
'P' Trap







MAGMA
L 605 W 350 H 110 mm
24" x 14"




BELLEZA
L 610 W 415 H 135 mm
24" x 17"




AMAZONE
L 600 W 380 H 135 mm
24" x 15"




ORACLE
L 610 W 415 H 150 mm
24" x 17"




OMEGA
L 565 W 380 H 160 mm
23" x 15"




VITARA
L 530 W 420 H 140 mm
21" x 17"



ELIPS
L 520 W 370 H 140 mm
21" x 15"




ZORO
L 560 W 320 H 140 mm
22" x 13"







FLAXY
L 630 W 400 H 100 mm
25" x 16"




VERO
L 585 W 375 H 105 mm
23" x 15"




GRACIA
L 600 W 405 H 135 mm
24" x 16"




VIOLET
L 595 W 395 H 135 mm
24" x 16"




ROSA
L 555 W 415 H 135 mm
22" x 17"



GALA
L 540 W 380 H 110 mm
22" x 15"



VASCA
L 515 W 420 H 120 mm
21" x 17"




BRAVIA
L 490 W 395 H 145 mm
20" x 16"







MYARA
L 480 W 380 H 140 mm
19" x 15"




FEMINA
L 480 W 370 H 125 mm
19" x 15"




DECOR
L 420 W 420 H 150 mm
17" x 17"



ETIOS
L 380 W 380 H 135 mm
15" x 15"




ALIS
L 460 W 335 H 145 mm
18" x 13"




ARMIS
L 460 W 330 H 140 mm
18" x 13"



NILE
L 475 W 345 H 130 mm
19" x 14"




PRIME
L 510 W 405 H 170 mm
20" x 16"







FIONA
L 475 W 365 H 125 mm
19" x 15"




VISTA
L 445 W 340 H 130 mm
18" x 14"




AZURA
L 460 W 330 H 150 mm
18" x 13"




BOOST
L 450 W 355 H 160 mm
18" x 14"




DELL
L 410 W 410 H 130 mm
16" x 16"




VICTOR
L 440 W 350 H 120 mm
18" x 14"



OXO
L 445 W 445 H 150 mm
18" x 18"




LUMINA
L 445 W 390 H 130 mm
18" x 16"







ORIO
L 455 W 350 H 155 mm
18" x 14"




FAST
L 450 W 325 H 125 mm
18" x 13"




ALEX
L 405 W 310 H 145 mm
16" x 12"




MOON
L 385 W 385 H 150 mm
15" x 15"




ALISTER
L 455 W 325 H 140 mm
18" x 13"




OMEN
L 495 W 310 H 130 mm
20" x 12"



BELLA
L 450 W 350 H 120 mm
18" x 14"




ROB
L 395 W 300 H 120 mm
16" x 12"







BENZ
L 410 W 290 H 125 mm
16" x 12"




PRISM
L 395 W 295 H 120 mm
16" x 12"




KOLAR
L 355 W 355 H 100 mm
14" x 14"




FLY
L 450 W 300 H 125 mm
18" x 12"




LOGAN
L 425 W 300 H 145 mm
17" x 12"




BRUCK
L 350 W 350 H 100 mm
14" x 14"



OLIVER
L 365 W 255 H 105 mm
15" x 10"




ELENA
L 345 W 265 H 125 mm
14" x 11"






AURA

L 305 W 305 H 100 mm
12" x 12"




CUBE

L 315 W 250 H 130 mm
13" x 10"




FONTE

L 320 W 320 H 110 mm
13" x 13"




SARA

L 365 W 300 H 125 mm
15" x 12"




LIMCA

L 275 W 275 H 110 mm
11" x 11"




OMINI

L 400 W 330 H 135 mm
16" x 13"




SONIC

L 280 W 280 H 120 mm
11" x 11"




SLICE

L 335 W 300 H 115 mm
13" x 12"







DORA
L 315 W 220 H 120 mm
12" x 9"



SPOTY
L 325 W 200 H 120 mm
13" x 8"




CROSS
L 400 W 200 H 120 mm
16" x 8"







JULIUS
L 485 W 370 H 855 mm
19" x 15"




FLORIDA
L 530 W 475 H 830 mm
21" x 19"




BOOST
L 450 W 355 H 865 mm
18" x 14"



JOLLY
L 410 W 335 H 820 mm
16" x 13"




REAL
L 440 W 365 H 850 mm
18" x 15"







RIO
L 410 W 340 H 840 mm
16" x 13"




MARVEL
L 510 W 420 H 840 mm
20" x 17"




ZETA
L 525 W 425 H 870 mm
21" x 17"




LORAL
L 560 W 450 H 845 mm
22" x 18"



RIPPLE
L 590 W 410 H 810 mm
24" x 16"




PARISH
L 560 W 430 H 835 mm
22" x 17"







LEXO
L 640 W 470 H 880 mm
26" x 19"




STUDIO
L 570 W 485 H 865 mm
23" x 19"




LUMINA
L 445 W 390 H 815 mm
18" x 16"




SONY
L 550 W 420 H 860 mm
22" x 17"



SOPHIA
L 560 W 420 H 880 mm
22" x 17"




EVA
L 580 W 440 H 865 mm
23" x 18"







CANON
L 555 W 415 H 870 mm
22" x 17"




CERA
L 555 W 425 H 845 mm
22" x 17"




BLANCO
L 505 W 410 H 870 mm
20" x 16"



CLASSIC
L 515 W 415 H 880 mm
21" x 17"




LOTUS
L 560 W 455 H 840 mm
22" x 18"






ROLEX

L 385 W 385 H 860 mm
15" x 15"




ELBO

L 370 W 310 H 375 mm
15" x 12"







TESLA
L 350 W 330 H 275 mm
14" x 13"




KINLEY
L 410 W 360 H 320 mm
16" x 14"




KYLIS
L 500 W 445 H 390 mm
20" x 18"




OLA
L 350 W 330 H 270 mm
14" x 13"



KATTY
L 475 W 445 H 310 mm
19" x 18"




KAYA
L 440 W 430 H 280 mm
18" x 17"






JULIUS
L 485 W 370 H 460 mm
19" x 15"




BOOST
L 450 W 355 H 440 mm
18" x 14"







FLY
L 450 W 300 H 425 mm
18" x 12"




BENZ
L 410 W 290 H 420 mm
16" x 12"




FAST
L 450 W 325 H 425 mm
18" x 14"




JOLLY
L 410 W 335 H 445 mm
16" x 13"



ORIO
L 455 W 350 H 450 mm
18" x 14"




RIO
L 410 W 340 H 440 mm
16" x 13"







REAL
L 440 W 365 H 450 mm
18" x 15"




RIPPLE
L 590 W 410 H 480 mm
24" x 16"




FLORIDA
L 530 W 475 H 450 mm
21" x 19"




STUDIO
L 570 W 485 H 500 mm
23" x 19"



LORAL
L 560 W 450 H 505 mm
22" x 18"




MARVEL
L 510 W 420 H 470 mm
20" x 17"







ZETA
L 525 W 425 H 505 mm
21" x 17"




ORCHID
L 560 W 445 H 485 mm
22" x 18"




LEXO
L 640 W 470 H 505 mm
26" x 19"




OLWIN
L 540 W 450 H 440 mm
22" x 18"



PARISH
L 560 W 430 H 520 mm
22" x 17"




SONY
L 550 W 420 H 550 mm
22" x 17"






CANON
L 555 W 410 H 495 mm
22" x 16"




EVA
L 580 W 440 H 560 mm
23" x 18"







GALA
L 540 W 380 H 110 mm
22" x 15"




VASCA
L 515 W 420 H 120 mm
21" x 17"




FIONA
L 475 W 365 H 125 mm
19" x 15"




BOOST
L 450 W 355 H 160 mm
18" x 14"



FLY
L 450 W 300 H 125 mm
18" x 12"




FAST
L 450 W 325 H 125 mm
18" x 13"







VISTA
L 445 W 340 H 130 mm
18" x 14"




DELL
L 410 W 410 H 130 mm
16" x 16"




VICTOR
L 440 W 350 H 120 mm
18" x 14"




ORIO
L 455 W 350 H 155 mm
18" x 14"




LUMINA
L 445 W 390 H 130 mm
18" x 16"




KOLAR
L 355 W 355 H 100 mm
14" x 14"



LOGAN
L 425 W 300 H 145 mm
17" x 12"




ROB
L 395 W 300 H 120 mm
16" x 12"







BENZ
L 410 W 290 H 125 mm
16" x 12"




SLICE
L 325 W 290 H 115 mm
13" x 12"




PRISM
L 395 W 295 H 120 mm
16" x 12"




SPIRIT
L 410 W 360 H 110 mm
16" x 14"




CROSS
L 400 W 200 H 120 mm
16" x 8"




DORA
L 315 W 220 H 120 mm
13" x 9"



MONTY
L 375 W 225 H 120 mm
15" x 9"




SPOTY
L 325 W 200 H 120 mm
13" x 8"







FERRY
L 350 W 250 H 120 mm
14" x 10"




ARIN
L 345 W 305 H 110 mm
14" x 12"




DOLLY
L 295 W 225 H 120 mm
12" x 9"




CORAL
L 255 W 315 H 120 mm
10" x 13"




NANO
L 310 W 300 H 125 mm
12" x 12"




DUNE
L 300 W 300 H 125 mm
12" x 12"



ONA
L 360 W 360 H 145 mm
14" x 14"




SOFT
L 425 W 350 H 140 mm
17" x 14"







SUPER
L 430 W 430 H 200 mm
17" x 17"




SATIN
L 380 W 380 H 190 mm
15" x 15"




JOLLY
L 410 W 335 H 150 mm
16" x 13"




REAL
L 440 W 365 H 180 mm
18" x 15"




RIO
L 410 W 340 H 165 mm
16" x 13"




ANGEL
L 480 W 350 H 140 mm
19" x 14"



CALVIN
L 400 W 360 H 160 mm
16" x 14"




SKY
L 435 W 340 H 190 mm
17" x 14"







SHARP
L 470 W 360 H 180 mm
19" x 14"




SMILE
L 455 W 295 H 210 mm
18" x 12"




MINT
L 350 W 240 H 135 mm
14" x 10"




SIMON
L 470 W 245 H 180 mm
19" x 10"




SMART
L 370 W 300 H 190 mm
15" x 12"




ORBIT
L 305 W 255 H 185 mm
12" x 10"



FLORIDA
L 530 W 475 H 165 mm
21" x 19"




JULIUS
L 485 W 370 H 190 mm
19" x 15"







MARVEL
L 510 W 420 H 170 mm
20" x 17"




ZETA
L 525 W 425 H 195 mm
21" x 17"




BLANCO
L 505 W 410 H 200 mm
20" x 16"




CLASSIC
L 515 W 415 H 165 mm
21" x 17"




SOBER (Top Counter)
L 560 W 415 H 185 mm
22" x 17"




NICE (Under Counter)
L 545 W 395 H 210 mm
22" x 16"



LIZA (Under Counter)
L 460 W 320 H 185 mm
18" x 13"




ROMANO (Under Counter)
L 490 W 385 H 205 mm
20" x 15"






BARCA (Concealed Inlet)
L 390 W 325 H 650 mm




REX (Concealed Inlet)
L 335 W 305 H 535 mm







BARCA
L 390 W 325 H 650 mm




REX
L 335 W 305 H 535 mm




BUZZ
L 335 W 310 H 680 mm




LARGE
L 380 W 400 H 610 mm



BABY
L 295 W 295 H 385 mm



FLAT BACK
L 320 W 300 H 460 mm







BOX - RIM




ORISSA PAN - 23"
L 575 W 455 H 225 mm




ORISSA PAN - 23"
L 575 W 450 H 300 mm




CITY PAN - 23"
L 575 W 450 H 180 mm




ORISSA PAN - 21"
L 525 W 425 H 225 mm




ORISSA PAN FLAT - 21"
L 525 W 425 H 225 mm




ACU PAN - 21"
L 530 W 425 H 250 mm



ORISSA PAN - 21"
L 520 W 425 H 285 mm



CITY PAN-20"
L 510 W 400 H 165 mm





PVC FLUSH TANK
Also available in dual flush



PVC TOP FLUSH TANK
Also available in dual flush



PVC FLUSH TANK COMPACT



ANGLO INDIAN SEAT COVER



SOFT CLOSE SEAT COVER
Also available without soft close



INLET / OUTLET WASHER




RACK BOLT



ONE PIECE FLOOR SCREW



BASIN BOLT MS/SS



URINAL BRACKET



P-TRAP

	PERTICULARS	I.S.I REQUIREMENT	OUR VALUE
1	WATER ABSORPTION	0.50%	<0.30%
2	MODULUS OF RUPTURE (BREAKING STRENGTH)	600 KG/SQ.CM	MINI. 700 KG/SQ.CM
3	CRAZING RESISTANCE (STEAM PRESSURE OF 3.7 KG/SQ.CM FOR 4 HRS.)	NO CRAZING UPTO TWO CYCLES	NO CRAZING UPTO FIVE CYCLES
4	MINIMUM THICKNESS	SHOULD BE MINI. 6.0 mm AT ANY PLACE	MINI. 7 mm AT ANY PLACE
5	WARPAGE	THE APPLIANCE SHOULD NOT SHOW WARPAGE MORE THAN THE SPECIFIED LIMITS.	WARPAGE WELL WITHIN THE PERMISSIBLE LIMITS.
6	THICKNESS OF GLAZE AT ANY PLACE	NOT SPECIFIED	MINI. 700 MICRONS (THAT IS 0.7 mm)
7	SURFACE QUALITY	NO WAVY FINISH ON THE VISIBLE SURFACE	NO WAVY FINISH
8	DISCOLOURATION	NONE ON THE VISIBLE SURFACE	NONE ON THE VISIBLE SURFACE
9	RESISTANCE TO CHEMICALS	SHOULD BE RESISTANT TO ALL HOUSE HOLD CHEMICALS	PASSES
10	RESISTANCE TO STAINS AND BURNS.	NO STAIN SHOULD REMAIN ON TESTING	PASSES

Technical Specification of vitreous sanitary ware as per IS 2556 (part I) : 1994

NAME OF TEST	AS PER IS 2556 (Part I) 1994	OUR TEST VALUES
1. Water absorption	Average Value Should not exceed more than 0.5 %	Max 0.30 % Show better Vitrification
2. Crazing test	No Crazing up to 2 Cycle up to 5 hrs Each Cycle or 10 Hours At pressure 0.34 to 0.37 Mps.	No Problem up to 5 Cycle and No Crazing
3. Chemical Resistance	No loss of reflectivity of the glaze when compared with control sample	No loss of reflectivity of the glaze when compared with control sample
4. Modules of Repture	Not less than 60 Mpa.	Min 70 Mpa.
5. Resistance to staining and Burning	No Stain shall remain on either of test piece	No Stain shall remain on either of test piece
6. Discoloration	None on all visible surface	None on all visible surface
7. Wavy finish	None on all visible surface	None on all visible surface

Note : The data given above are tested by sifon ceramic quality control department by the use of company's standard test method.


ONE PIECE CLOSET TRAP DISTANCE

S.R. No.	NAME	S-Trap (4")	S-Trap (8")	S-Trap (9")	S-Trap (12")	P-Trap
1	THUNDER (6D)			✓	✓	
2	TITAN (5D)			✓		
3	TIME (5D)			✓		
4	THUNDER		✓		✓	✓
5	CARNIVAL			✓	✓	✓
6	CLOVER	✓		✓	✓	✓
7	DOMA			✓	✓	✓
8	CYBER			✓	✓	✓
9	CORNICE (4D)			✓		
10	CANDY			✓		
11	CHARLY			✓		✓
12	CANTON	✓		✓	✓	✓
13	COFI			✓		✓
14	CAMRY			✓		✓
15	CRISTY			✓		✓

WALLHUNG CLOSET DISTANCE

S.R. No.	NAME	DISTANCE BETWEEN INLET & OUTLET	DISTANCE BETWEEN RACK BOLT
1	FUSION (RIMLESS) (BI)	135	140-250
2	ZODIAC (RIMLESS) (BI)	135	140-250
3	CRISIL (RIMLESS) (BI)	135	140-255
4	MOZART (RIMLESS) (BI)	135	140-230
5	VITO (BI)	135	170-240
6	ARNOLD (RIMLESS) (BI)	135	140-240
7	FUSION (RIMLESS)	135	140-250
8	ZODIAC (RIMLESS)	135	140-250
9	CRISIL (RIMLESS)	135	140-255
10	MOZART (RIMLESS)	135	140-230
11	VITO	135	170-240
12	ARNOLD (RIMLESS)	135	140-240
13	TORNADO (RIMLESS) (TORNADO FLUSH)	135	170-240
14	TERRA	135	175-240
15	ELEMENT	135	170-235
16	WILLING	135	170-260
17	SPICE	135	165-240
18	CIVIC	135	210-260
19	COCO	135	185-245
20	PARADISE (RIMLESS)	135	175-240
21	NEXUS (RIMLESS)	135	170-240
22	CROMA (RIMLESS)	135	130-240
23	CROMA	135	180-245
24	CRUSE (RIMLESS)	135	185-250
25	CRUSE	135	175-240
26	AUDI (RIMLESS)	135	185-240
27	AUDI	135	180-240
28	CALIBER (RIMLESS)	135	180-245
29	CALIBER	135	170-240
30	SIMI	135	185-250
31	SOGO	135	

TECHNICAL SPECIFICATION




WALL HUNG BASIN

As per shown in the picture, the rag bolt must be grouted into the cement/concrete wall. The bolts must be fixed to the cement/concrete wall. Allow setting & checking than install it using nut and washer.

COUNTER WASHBASIN

At the beginning

1. A skilled or experienced person should install counter lavatories.
2. Avoid using adhesive with this product.
3. Check the waste area and supply tubing if required.
4. Do not open the lavatory from its protective carton until you are ready for installation.
5. Please follow all local building and plumbing codes.




MATERIAL & TOOLS

Measure tape, Keyhole or saber saw, Hammer, Glasses, Rags or Paper toweling, Drill (1/2 dia, drill bit or larger), Pencil, sealant, sharp knife or scissors.

INSTALLATION OF LAVATORY


Please Note : Please install it in a way that future removal from underneath the counter top is possible without damaging the counter top.

1. Please check the desired location for clearance between the back splash, faucet, Fixture and cabinet.
2. Please cut the template.
3. Please carefully trace the template on the counter top directed.
4. Please mark the faucet hole centerline on the counter top.
5. Please drill a 1/2" pilot on the inside of the cut line.



For Wood Counter tops:

1. Mark and pre-drill the wood screw holes at the locations shown on the template.
2. Waterproof any exposed areas of wood.



For Marble Counter tops:

1. Position the counter top upside down on foam padding to protect the surface. Mark and drill 3/6" holes 5/8" deep at the locations shown on the template.
2. Use a setting tool and hammer to secure the anchors.



For All Installations:

1. If the counter top has not been installed, install it at this time.
2. Drill the faucet holes according to the faucet installation instructions.
3. Install the faucet to the counter top according to the manufacture's instructions.
4. Install the drain to the lavatory according to the manufacture's instructions.

MAINTENANCE

Like any other part of your house, the bathroom can be made to look great and made to last long if it is taken care of regularly. To make your bathroom beautiful here are some invaluable tips.

Wash Basin :

A mild detergent can be used to wash the basin at least once a day. After washing, the basin should be wiped out clearly to avoid water stains.

Closets :

Cleanser like Harpic can be used to clear the closet with soft plastic brush, at least once a day.

To avoid minute discoloring, after flushing the toilet give it a once over with the soft brush.

Keep the toilet brush handy in a convenient stand nearby.

In case of toilets and basins, if there has been no maintenance since long period of time, water deposits and discoloration can form on the surface of areas that get wet. In such cases, these stains/marks can be removed with the help of a solution of dilute hydrochloric acid.

Clean with a soft cotton cloth and warm water with soap.

Do not use thinner, day cleaning liquids or powder paste. Use a liquid cleaner at least twice a week.

Use brasso or car rubbing compound and then polish with a cloth to remove fine scratches.

NOTE : _____